

Material Safety Data Sheet

MSDS REVISION DATE: July 6th, 2025

1. Chemical Product and Company Identification

Product name: Art Gel - Mirror Gold Art Gel - Mirror Silver	Manufacturer: A&M Partners, s.r.o.
Product type: Ultraviolet Gel	Address: Pstruhová 138/20 010 01 Žilina- Mojšova Lúčka Slovakia
Product Use: nail paint	Telephone: +421 910 793 111

2. Ingredients

Chemical Components	CAS NO.	Concentration WT%
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	41137-60-4	50-70
HEMA	868-77-9	5-8
HYDROXYPROPYL METHACRYLATE	27813-02-1	5-8
TRIMETHYLOLPROPANE TRIACRYLATE	15625-89-5	5-8
ETHYL TRIMETHYENZOYL PHENYLPHISPHINATE	84434-11-7	1-3
HYDROXYCYCLOHEXYL PHENYL KETONE	947-19-3	1-3
ALUMINUM PASTE	7429-90-5	10-20

3. Emergency Overview

Physical state: Liquid**Color:** colors**Odor:** light**Personal Protection:** See Section 8**HEALTH:** 1***FLAMMABILITY:** 2**PHYSICAL HAZARD:** 1

WARNING: HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. DO NOT SPRAY. DO NOT HEAT. MAY CAUSE ALLERGIC SKIN REACTION. CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Skin contact: Contact skin will cause irritation.

Eye contact: Contact with eyes will cause irritation.

4. First aid measures

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing

and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Get medical attention immediately

5. Fire-fighting measures

Flash point: 105°C

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

6. Accidental release measures

Environmental precautions: Remove sources of ignition. Prevent product from entering drains or

open waters.

Clean-up methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

7. Handling and storage

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage: For safe storage, store at or below 26°C (80°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

Incompatible products: Refer to Section 10.

8. Exposure Controls/Personal Protection

Engineering controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/face protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

9. Physical and Chemical Properties

Physical state: Liquid

Color: transparent

Odor: light

Vapor pressure: Not available

pH: Not applicable

Boiling point/range: Greater than 93°C (200°F)

Melting point/range: Not available

Specific gravity: 1.10

Vapor density: Not available

Evaporation rate: Not available

Solubility in water: Slight

Partition coefficient (n-octanol/water): Not available

VOC content: Total volatiles 0.80 %

10.Stability and Reactivity

Stability: Stable under normal conditions of storage and use.

Hazardous polymerization: May occur.

Hazardous decomposition products: Oxides of carbon. Oxides of nitrogen. Dimethylamine. Irritating organic vapors.

Incompatibility: Strong acids. Strong oxidizing agents. Bases.

Conditions to avoid: Heat, flames, sparks and other sources of ignition. Do not heat above 26°C(80°C).

11.Toxicological Information

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	COSHA Carcinogen
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	NO	NO	NO
HEMA	NO	NO	NO
HYDROXYPROPYL METHACRYLATE	NO	NO	NO
TRIMETHYLOLPROPANE TRIACRYLATE	NO	NO	NO
ETHYL TRIMETHYENZOYL PHENYLPHISPHINATE	NO	NO	NO
HYDROXYCYCLOHEXYL PHENYL KETONE	NO	NO	NO
ALUMINUM PASTE	NO	NO	NO

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	No Records
HEMA	No Records
HYDROXYPROPYL METHACRYLATE	No Records
TRIMETHYLOLPROPANE TRIACRYLATE	No Records
ETHYL TRIMETHYENZOYL PHENYLPHISPHINATE	No Records

HYDROXYCYCLOHEXYL PHENYL KETONE	No Records
ALUMINUM PASTE	No Records

This product is free solvent, carcinogenic material. The general damage is contact stimulation; excessive or repeated contact may stimulate skin; at the first beginning and long time short distance contact may stimulate eyes. The main irritant is acrylic esters.

12. Ecological Information

Ecological information: Not available

13. Disposal Considerations

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to P.R.C, province and local governmental regulations.

ECE hazardous waste number: Not a RCRA hazardous waste.

14. Transport Information

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

P.R.C Department of Transportation Ground :

Proper shipping name: Unrestricted

Hazard class or division: None

Identification number: None

Packing group: None

International Air Transportation (ICAO/IATA):

Proper shipping name: Unrestricted

Hazard class or division: None

Identification number: None

Packing group: None

Water Transportation (IMO/IMDG):

Proper shipping name: Unrestricted

Hazard class or division: None

Identification number: None

Packing group: None

Marine pollutant: None

15.Regulatory information

P.R.C Regulatory Information

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16.Other Information

DISCLAIMER:

The data contained herein are furnished for information only and are believed to be reliable.

However, A&M Partners, s.r.o. does not assume responsibility for any results obtained by persons over whose methods A&M Partners, s.r.o. has no control. It is the user's responsibility to determine the suitability of A&M Partners, s.r.o.'s products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of A&M Partners, s.r.o.'s products. In light of the foregoing, A&M Partners, s.r.o. specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of A&M Partners, s.r.o.'s products. A&M Partners, s.r.o. further disclaims any liability for consequential or incidental damages of any kind, including lost profits.